



**ISO/PAS  
17712**

**DESCRIPTION:**

Our original Leghorn Srl designed FORKSEAL is already ISO/PAS 17712 approved, categorising it as a High Security Seal. By adding an electronic component (RFID), it is transformed into a product capable of storing a large amount of information for logistics and traceability purposes.

**SEQUENTIAL NUMBERING AND CUSTOMISATION:**

- ° Sequenced numbering up to 6 digits.
- ° Alphanumeric numbering possible
- ° Customised up to 20 characters
- ° Logos available upon request
- ° Logos and numbering are also engraved on all metal bar.

**MATERIAL:**

- ° Galvanized steel
- ° Painted galvanized steel on request (red – green – yellow – orange)

**CERTIFICATIONS:**

- ° Approved by U.K. Customs
- ° Approved by U.S. Customs
- ° Compliant with ISO/PAS 17712
- HSS (high security seal)
- WITH ISO/PAS 17025
- LAB APPROVED

**OTHER PRODUCT WITH THE SAME CHARACTERISTICS:**

- ° FORKSEAL RFID UHF (electronic)
- ° FORKSEAL RFID HF (electronic)

**PACKING:**

25 seals per carton bagged separately  
Carton dimensions: 50x20x15cm  
Carton weight: 15 kgs

**RFID FORKSEAL HF TECHNICAL SPECIFICATION**

RF protocol	ISO15693
Integrated Circuit(IC)	ICode SLI 1024 bit ; Read/Write
Memory	EEPROM
Operating Frequency	13.56 MHz - HF
Protection	IP66
Operating temp.	-20°C to +80°C
Storage temp.	-20°C to +80°C
Tag dimension	mm 30x60
Reading distance:	Typical reading with handheld reader : 10 - 30 cm
Resistance harsh factory environment	

